WRITTEN TEST ON 20/11/2016 - STAFF NURSE - TEMPORARY

1. A condition in which a single vessel of	verrides both ventricles	is called
A. Transposition of great arteries	C. Tetralogy of Fall	lot
B. Hypoplastic single ventricle	D. Truncus arterios	sus
2. Which form of communication is said	to be the heart of nursin	g practice
A. Intrapersonal communication	C. Interpersonal cor	nmunication
B. Therapeutic communication	D. Public communic	cation
3. 'Audit cycle' includes all except		
A. Set standards	C. Audit committee	
B. Observe practices	D. Compare with sta	andard
4. "MRSA" nasal carriers should be treat	ed with	
A. Povidone-Iodine	C. 10%Mupirocin	
B. 1%Mupirocin	D. Vancomycin	
5. Intra aortic balloon pump therapy is us	ed for treatment of:	
A. Congestive heart failure	C. Cardiogenic shock	k
B. Pulmonary oedema	D. Aortic insufficien	cy
6. Which of the following ECG findings i	ndicate the presence of h	nypokalemia?
A. Tall, peak T wave	C. Prolonged PR into	
B. Widening of QRS complex	D. ST segment depre	
7. Before radial arterial cannulation, evalu		
A. Allen test	C. Valsalva maneuve	
B. Angiography	D. Capillary refilling	test
8. Paradoxical elevation of jugular venous	The second secon	
patients with chronic constrictive perica		
A. Kussmaul's sign	C. Homan's sign	
B. Kernig's sign	D. Brudzinski's sign	
9. Standard Operating Procedure (SOP) re-		
 A. An optimal balance between p values. 		
B. Detailed, written instructions to function	achieve uniformity of t	he performance of a specific
C. Doing the right thing right, right	away, the first time	
D. A process of meeting the needs external.	and expectations of the	customers, both internal and
10. Accreditation refers to one of the follow	vina	
A. Making assessment	C. Ensuring Quality	
B. Making care cost effective	D. Meeting predeterm	ined standards
11. WHO constitution was made in	D. Meeting predeterm	med standards
A. 1947 B. 1952	C. 1950	D 1056
2.1752		D. 1956
12. Nursing may be defined as "the diagno illness". This definition of nursing was	given by	nan responses to health and
A. Nightingale	C. Henderson	
B. American Nurses Association	D. World Health Organ	nization
13. Which of the following inventory control		
consumption of the items?		o or north of fate of
A. ABC Analysis	C. VED Analysis	
B. HML Analysis	D. FSN Analysis	

14. Application of force to another person	without lawful justification is
A. Battery B. Tort C. N	
15. Which of the following nursing in	terventions is appropriate when an IV infusion
extravasates?	
A. Elevate the site	C. Discontinue the infusion
B. Attempt to flush the tube	D. Apply warm, moist compress
16. An ABG analysis report shows: pH - 7	.20; PCO2 - 35mmHg; HCO320mEq/L. These
findings are suggestive of	
A. Metabolic acidosis	C. Metabolic alkalosis
B. Respiratory alkalosis	D. Respiratory acidosis
17. Comprehensive, individualized care procare refers to	ovided by the same nurse throughout the period of
A. Team nursing	C. Primary nursing
B. Home Health Nursing	D. Critical Care Nursing
	ution containing potassium chloride too rapidly.
——————————————————————————————————————	iate intervention advised by the physician?
A. Rapid infusion of IV Ringer's so	lution
B. Rapid infusion of IV NS 0.9%	
C. Insulin added to 10% dextrose in	water solution .
D. Administration of albumin	•
<u> </u>	guides nurses' priorities at a disaster caused by a
collapsed building in an earthquake?	tata anna ta mana mana llana
A. Hemorrhage necessitates immedi	
	treated first so that they can help others
_	ted first so that their care more complex
	ity because they have the greatest life expectancy
20. Which of the following ethical principle	
•	C. Nonmaleficence D. Veracity
	v crater, oedema, and infection are characteristics of
A. Stage I pressure ulcer	C. Stage III pressure ulcer
B. Stage IV pressure ulcer	D. Stage II pressure ulcer
22. ECMO is contraindicated in	
A. Controlled bleeding	C. Neurological Impairment
B. Cardiac Arrest	D. Post operative CHF
23. Principle of Surgery for CHD is	
A. Establish Blue blood to MPA, Re	
B. Total correction of Pathophysiolo	gy
C. Palliative operations	
D. A Final Correction	
24. Social responsibility in high in-	
A. Defensive response	C. Accommodative response
B. Proactive response	D. Obstructive response
25. Manchester Triage Scale colour RED inc	
A. Very urgent in zero minutes	C. Immediate in zero minutes
B. Immediate in two minutes	D. Standard in 120 minutes
26. In the motivation equation most valued r	
A. Professional	C. Organisational .
B. Extrinsic	D. Intrinsic
	Page 2 of 6

27. Dointoay blood group is a faic	group with
A. A, B and H antigen	C. Anti H and no H antigen
B. No A, B and H antigen	D. No anti H and H antigen
28. Simitar syndrome is also know	n as-
A. Acute pulmonary Syndr	ome C. Pulmonary veno lobar syndrome
B. Pulmonary venous synd	
29. Ross procedure is an innovative	
A. Pulmonary autograft for	aortic valve replacement
B. Pulmonary valve homog	raft for aortic valve replacement
C. Aortic autograft for puln	nonary replacement
D. Aortic valve homograft i	
30. Therapeutic relationship has a c	
A. Professional relationship	
B. Goal directed activities re	
C. The relationship between	•
D. A psychological approach	•
31. The time required for steam ster	
A. Pressure and temperature	•
B. Time and temperature	D. Pressure and vacuum
32. The Transplantation of Human C	
A. 1990 B. 199	
33. Norwood procedure is performed	5,2010
A. Single ventricle Correction	101
B. Hypoplastic left heart sync	drome nalliation
C. TGA Correction	nome pamation
D. Interrupted aortic arch corn	wastian
34. BECK'S TRIAD includes which	
	distended neck vein and muffled heart sounds
	distended neck vein and muffled heart sounds
	Neurogenic and Cardiogenic shock
25. The client is recovering for	ogenic shock, Cardiogenic shock
the nurse should avoid	He has residual dysphagia. While feeding the patient
A. Thin liquids	C. liquids like oats meal
B. Feed on the unaffected side	D Allowing propped up position
36. Which of the following respiratory pa	tterns indicates increasing intra cranial pressure?
A. Rapid, Shallow respiration	C. Orthopnoea
B. Slow, irregular respiration	D. Abdominal breathing
Cardiac muscles differ from skeletal n	nuscle by-
A. It contains action and myosin	C. It need calcium for contraction
B. It has automaticity and conduct	tivity D. It thrives without oxygen
38. When a client develops ventricular fibration	rillation in a coronary care unit, what is the
responsibility of the first person reachi A. Administer oxygen	ing the client. C. Initiate defibrillation
B. Initiate injection amiodarone	D. Initiate CPR
	finding is typical of extracellular fluid loss?
A. Distended jugular veins	C. Rapid thready pulse
B. Elevated hematocrit level	· •
2. 2.0 and nomatoon love	D. Increased serum sodium level

40. What should be the first ac	tion the nurse w	vill initiate on sec	eing a straight ECG base line?
A. Start CPR	•		
B. Unplug other electr	ical equipments	and note any ch	ange in the wave form
C. Remove loose elect	rode and re-app	ly.	J
D. Check patients' resp	onse		
41. What is the glucose level of	normal CSF?	•	
A. 100-110 mg/100ml	C	. 135-145 mg/10	Որայ
B. 10-20 mg/100ml		. 45-75 mg/100n	
42. Chemical sterilant used for	olasma sterilizat	tion	111
A. Silver Nitrate		Hydrogen Perox	
B. Formaldehyde		Ethylene oxide	kide
43. The amino acid that is defici	ent in wheat is.	-	
	Methionine		B 6 4
44. Iron and folic acid tablet supplied		C. Lysine	D. Cystine
A. 60mg element iron and 3			s:
B. 100 mg element iron and			
C. 200 mg element iron and			
D.100 mg element iron and			
45. Extra pyramidal symptoms are a	complication of	the tracture to	
A. Anti psychotic drugs	C A	nti enviete de	which of the following drugs
B. Anti depressants		nti anxiety drugs	
46. Cranial nerves not carrying paras	<i>D. ج</i> vmnathetic fibra	Anti malarial drug	S
	Jinth	s. C. Third	D. 0
47. In a fetus insulin secretion begins		C. I nira	D. Seventh
	th month	C. 7 th month	D. 9 th month
48. Which of the following pulses ha		C. / MONIN	D. 9 month
A. Bengal gram		lack gram	
B. Red gram		oybean	
49. After overnight fasting level of gl			<u>.</u>
A. Brain cells	C. RI		
B. Adipocytes	D. He	epatocytes	
50. Dengue shock syndrome is charac	terized by all of	the following exc	ent
A. Hepatomegaly	C. Th	rombo cytopenia	- CPC
B. Pleural effusion	D. De	creased haemool	obulin
51. Which of the following is the treat	ment of choice f	or Kawasaki's dis	sease?
A. Cyclosporine	C. IV	immunoglobulin	
B. Dapsone	D. Me	thotrexate	
52. Plasma expanders are used in -			
A. Severe anaemia	C. Pul	monary oedema	•
B. Severe trauma	D Car	diac failura	
53. A woman is treated with lithium do	iring pregnancy,	the foetus should	be tested for-
A. Neural tube delect	C. Car	diac malformatio	ns
B. Urogenital abnormalities	D. Sca	lp defects	
54. A 4 year old child had febrile seizu	res, best prophyl	axis is-	
A. Paracetamol 6 hourly	C. Para	acetamol and diaz	sepam
B. Diazepam	D Phe	nobarbitono	
5. Guillain Barre Syndrome is a diseas	e of which of th	e following	
A. brain	C. Spir	nal cord	
B. Peripheral nerve	D. All	of the above	

	50. Which of the following is not a paramete	er for Glasgow coma scale?
	A. Eye opening	C. Verbal response
	B. Pupillary response	D. Motor response
	57. Which of the following involves the inje	ction of radioisotopes into the body?
	A. Radiography B. PET	C. CT imaging D. MRI
	58. Which of the following is not a neurotrar	
	A. Epinephrine	C. Gamma Amino Buteric Acid (GABA).
	B. Dopamine	D. Troponin
	59. Complications of Bronchiectasis are all e	xcept
	A. Cerebral abscess	C. Lung abcess
	B. Amyloidosis	D. Bronchogenic Carcinoma
	60. A client's ABG report indicates PH is 7.5	2; PCO2 IS 32 mmHg and HCO3 is 24 mEq /L.
	What does the nurse identify as a possible A. Airway obstruction	
	B. Inadequate nutrition	C. Prolonged gastric suction D. Excessive mechanical ventilation
	•	rse should allow an IV bag of solution to infuse
	A. 6 hrs. B. 12 hrs	
	62. The choroid plexus is situated in the -	2,4,111
	A. Right ventricle	C. Left ventricle
	B. Lateral ventricle	D. 3 rd ventricle
		· · · · · · · · · · · · · · · · · · ·
	63. Removed body parts should be dispo	
	A. Autoclaving	C. Incineration
	B. Shredding	D. Land filling
	64. Generalised pruritis (itching) is a featu	re of following conditions except
	A. Drug allergy	C. Nephritis
	B. Hodgkin's Lymphoma	D. Obstructive Jaundice
	65. GUSS is an assessment technique to ch	neck
	A. Skin integrity	C. Neurological status
	B. Dysphagia	D. Stroke severity
	66. Bell's palsy is the paralysis of the	nerve
	A. Trigeminal nerve	C. Facial nerve
	B. Optic nerve	D. Occulomotor nerve
	67. Dilatation of pupils occur in following	conditions except
	A. Atropine overdose	C. Brainstem death
	B. Morphine overdose	D. Third cranial nerve palsy
	68. Lumbar puncture is contra indicated in	conditions like
	A. Increased intra cranial pressure	C Meningitis
	B. Encephalitis	D. Guillain-Barre Syndrome
	69. Clinical features of Parkinson's disease	include the following execut
	A. Muscle weakness	C. Tremors
	B. Rigidity	-
	<u> </u>	D. Postural instability
	70. Permission is nereby given for admission	on, diagnostic investigations and interventional
	kin". This statement is an example of -	e in the course of hospital admissions of myself/my
	A. Informed consent	C. Law of consent
	B. Law of contract	
-		D. Law of professional security
-	 Which of the under mentioned chest cor A. 100 – 125/minute 	
		C. 100/ minute
	B. 110 - 125/minute	D. 100-120 / minute

	after receiving IV penicillin, what does the
nurse conclude as the cause of this re	
A. An acquired atopic sensitisation	
B. There was passive immunity to	
C. Antibodies to penicillin develop	•
D. Potent antibodies were produce	d when the infusion was instituted
73. TEVAR is a procedure	
A. Surgical	C. Invasive
B. Interventional	D. Non invasive
74. A patient is prescribed prolonged bed	rest after surgery, which complication should
A. Cerebral embolism	ent to avoid pressure on popliteal space.
	C. Dry gangrene of a limb
B. Pulmonary embolism	D. Coronary vessel occlusion
apnoea, cyanosis and poor sucking abil	liabetic mother often have tremors, periods of
A. Hypoglycemia	
B. Central Nervous System oedema	l
C. Hypercalcemia	
D. Congenital depression of islets o	f langerhans
76. What complication should a nurse asses	•
A. Brachial palsy	C. Dislocated hip
B. Fractured clavicle	D. Intracranial haemorrhage
77. What must the nurse do to determine pu	
A. Multiply heart rate by stroke volu	•
B. Subtract the diastolic from the sys	•
C. Determine the mean blood pressu	
D. Calculate the difference between	• •
78. Cardiac troponin T or cardiac troponin I	•
A. Myocardial infarction	C. Ventricular tachycardia
•	D. Atrial fibrillation
79. Fibrous cords which connect the free val	
valve cusps to papillary muscles and ven	stricular walls.
A. Chordae tendineae	C. Bundle of His
B. Lunulae	D. Kent bundles
80. The most characteristic feature of Myastl	henia Gravis is
A. Impairment of touch sensation in I	
B. Reversible fatiguability of limbs	
	D. Impairment of intelligence
	2. impairment of interingence
	

			ARY)-ANSWI		
1	D	31	A	61	D
2	С	32	С	62	C
3	С	33	В	63	С
4	В	34	A	64	С
5	С	35	A	65	В
6	D	36	В	66	С
7	A	37	В	67	В
8	A	38	С	68	A
9	В	39	A	69	A
10	С	40	D	70	В
11	A	41	D	71	D
12	В	42	С	72	С
13	D	43	С	73	В
14	A	44	В	74	В
15	D	45	A	75	A
16	A	46	C	76	D
17	С	47	С	77	В
18	С	48	D	78	A
19	В	49	В	79	A
20	С	50	D	80	В
21	D	51	С		
22	С	52	В		1
23	A	53	С		•
24	В	54	D		
25	С	55	В		
26	D	56	В		•
27	С	57	В		
28	С	58	D	7	
29	A	59	D		

30

В

60

D