

टेली : 0471 – 2520228, 2520328

E-mail: bmtstp@sctimst.ac.in

फैक्स : 0471 - 2340819

web:www.sctimst.ac.in



श्री चित्रा तिरुनाल आयुर्विज्ञान और प्रौद्योगिकी संस्थान

SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY

जीव आयुर्विज्ञान प्रौद्योगिकी विंग

BIO-MEDICAL TECHNOLOGY WING

पूजापुरा, तिरुवनन्दपुरम् – ६९५ ०१२ केरल, भारत

POOJAPPURA, THIRUVANANTHAPURAM – 695 012 KERALA, INDIA

(भारत सरकार के अधीन एक राष्ट्रीय महत्व सस्थान)

(An Institute of National Importance under Govt. of India)

PUR-3/RC (MG)/01/BMT-R&D/SCTIMST/2019-20

22.02.2019

QUOTATION NOTICE FOR RATE CONTRACT

Sub: - Rate Contract for Liquid Nitrogen, Industrial gases and other Commercial Gases, etc. for BMT Wing of SCTIMST for research purpose for the year 2019 - 20 - reg.

Sealed quotations are invited for the supply of Liquid Nitrogen, Medical Oxygen, Carbon Dioxide, Commercial Argon, High Purity Argon, Ultra High Purity Argon, Zero Air, Synthetic Air, Hydrogen, High Purity Hydrogen, Ultra High Purity Hydrogen, Commercial Nitrogen, High Purity Nitrogen, Ultra High Purity Nitrogen, Carbogen etc. on rate contract basis from Manufacturers/ Authorized Distributors for the financial year 2019-20 at BMT Wing, SCTIMST, TVM - 695012. All are requested to quote their rates which should be valid for a period of one year ending on RC accepted by the Institute. Sealed quotations superscripted as “Quotation for Rate Contract for Gases for the year 2019 – 20” should reach the Purchase and Stores Officer, Bio-Medical Technology Wing, SCTIMST, Satelmond Palace, Poojappura, Trivandrum - 695012 on or before 18th March 2019. Please visit our website www.sctimst.ac.in for details.

Terms & Conditions

1. The supplier should quote the price valid up to one year.
2. If the authorized distributor is supplying the items, the manufacturer/principal company has to submit an authorization letter for the dealer/authorized distributor.
3. All the purchase is FOR at Store, SCTIMST, BMT Wing only. No Transportation charges extra.
4. All the quotations are to be enclosed with maximum discount.
5. Penalty clause for delay delivery: If the delivery is not effected on due date, the Director SCTIMST will have the right to impose penalty at 0.5% per week subject to a maximum of 5% of order value.
6. GST rates will be 5% as per the Govt. of India's Gazette Notification Nos. 45 & 47/2017-Integrated Tax (Rate) New Delhi, dtd 14.11.2017.

7. For all supplies/Contract above Rs. 1 Lakh, the successful tenderer should furnish a Performance Bank Guarantee/Security Deposit @ 10% of the total assignment (purchase order value), in the form of Fixed Deposit or Bank Guarantee from a Commercial Bank, which should be valid for a period of 60 days beyond completion of all contractual obligations of the supplier including warranty (if any). Otherwise 10% of the order value will be retained till the submission of the Performance Bank Guarantee/Security Deposit or till the warranty period/contractual obligation expire(s).
8. If the quote is not according to the above terms and conditions, the same will be summarily rejected.
9. The institute reserves the right to accept and reject any or all quotations received without assigning any reasons.
10. For all disputes arising out of this contract the legal jurisdiction will be Thiruvananthapuram, Kerala.
11. Late quotations are not encouraged.

s/d

Head, BMT Wing

प्रधान, बि.एम.टि विभाग

ANNEXURE

SI No.	GAS	Impurity Level in PPM	Quantity	Price
1	Liquid N ₂		Per Litre	
2	CO ₂ 99.995%	With analysis report by manufacturer	Per Kg	
3	CO ₂ 99.9%	With analysis report by manufacturer	Per Kg	
4	CO ₂ 99.5%		Per Kg	
5	MO ₂		7M3	
6	MO ₂		1.5M3	
7	UHP Argon 99.9997%	O ₂ <1.0, H ₂ O<1.0, N ₂ <0.5, CO+CO ₂ <0.5, THC<0.1 With analysis report	7M3	
8	HP Argon 99.999%	O ₂ - 2, H ₂ O - 2, N ₂ - 2, CO ₂ - 1, CO - 0.5, THC - 0.5 Purity - 99.9992%	7M3	
9	Com Argon 99.5%		7M3	
10	UHP H ₂ 99.995%	O ₂ <2.0, H ₂ O < 2.0, CO < 0.5, CO ₂ <1.0, THC < 0.5 N ₂ < 40.0 With analysis report	7M3	
11	HP H ₂ 99.985%	Total impurities < 150PPM	7M3	
12	Zero Air		7M3	
13	UHP Nitrogen 99.9997%	O ₂ <1.0, H ₂ O<1.0, CO+CO ₂ <0.5, THC<0.1 With analysis report	7M3	
14	UHP Nitrogen 99.999%	O ₂ - 2, H ₂ O - 2, AR - 4.5, CO+CO ₂ - 1, THC- 0.5 With analysis report	7M3	
15	HP Nitrogen 99.995%	CO -1, H ₂ - 2, Hydro Carbon - 1, Moisture - 4	7M3	
17	Com Nitrogen 99.5%		7M3	
18	Com: N ₂		1.5M3	
19	Carbogen		1.5M3	
20	Carbogen		7M3	

Other Charges

SI No	Details	Price
1.	Hydrostatic Testing with Painting of Cylinders (once in 5 years)	
2.	Spindle replacement (If Necessary)	
3.	Valve replacement [Brass] (If necessary)	
4.	Valve replacement [Stainless Steel] (if Necessary)	
5.	Valve Guard replacement (If necessary)	